



## Fiche technique Data Sheet

### TERMINATOR // USF89391



**Catégories / Categories:** [Concrete & Cement Industry](#), [Mining](#), [Oil & Gas](#),  
[Specialty](#), [Mens](#), [Safety Boots 8-Inches](#), [Specialized Safety Boots](#)

### Description

Boot color Black 3E 8 External Rigid Metguard

Tecno Fiber Chemical resistant

Kevlar stitches

Comfort and protection at the ankle with the Unik Ankle Lock system

200 gr Thinsulate ,Viko Foam insulation / U-Line lining.

Waterproof U-Dry Membrane

Toe Cap and sole of Composite.

Anti Torsion Supportek system (ATSS)

Vibram Dri Ice EVA lightweight outsole Rubber Fire & Ice

Fusion process

Vibram rubber Bumper toe

Canadian manufacturing.

Certified: CSA standard Z-195-14



## Attributs / Attributes

- Style: Puritain
- Size:
- Width: 3E
- Height:
- Weight:
- Color: Black
- Sewing:
- Lining and Insulation: U-Line, 200Gr Thinsulate
- Bumper Toe:
- Insole:
- Supportek System: Supportek System ( Poron, Texon , Lenzi ,Cambrion ,Techno Board )
- Toe Cap and insole protection:
- Outsole:

- Fabrication:
- Quality:
- Certification:
- Metatarsal protection:

## Photos / Gallery



